

## General

### Title

Follow-up care for children prescribed ADHD medication (initiation phase): percentage of patients 6 to 12 years of age as of the index prescription start date with an outpatient ADHD medication who had one follow-up visit with a practitioner with prescribing authority during the 30-day initiation phase.

### Source(s)

National Committee for Quality Assurance (NCQA). HEDIS 2015 technical specifications for ACO measurement. Washington (DC): National Committee for Quality Assurance (NCQA); 2014. various p.

## Measure Domain

### Primary Measure Domain

Clinical Quality Measures: Process

### Secondary Measure Domain

Does not apply to this measure

## Brief Abstract

### Description

This measure is used to assess the percentage of patients 6 to 12 years of age as of the index prescription start date (IPSD) with an outpatient attention-deficit/hyperactivity disorder (ADHD) medication who had one follow-up visit with a practitioner with prescribing authority during the 30-day initiation phase.

See the related National Quality Measures Clearinghouse (NQMC) summary of the National Committee for Quality Assurance (NCQA) measure [Follow-up care for children prescribed ADHD medication \(continuation and maintenance \[C&M\] phase\): percentage of patients 6 to 12 years of age as of the index prescription start date with an outpatient ADHD medication who remained on the medication for at least 210 days and who, in addition to the visit in the initiation phase, had at least two follow-up visits with a practitioner within 270 days \(9 months\) after the initiation phase ended.](#)

Note from the National Quality Measures Clearinghouse (NQMC): For this measure, there are both Electronic and Hybrid Specifications. This NQMC measure summary is based on the Electronic specification. Refer to the original measure documentation for details pertaining to the Hybrid specification.

## Rationale

Attention deficit/hyperactivity disorder (ADHD) is one of the more common chronic conditions of childhood. Children with ADHD may experience significant functional problems, such as school difficulties; academic underachievement; troublesome relationships with family members and peers; and behavioral problems (American Academy of Pediatrics [AAP], 2000). Given the high prevalence of ADHD among school-aged children (4 to 12 percent), primary care clinicians will regularly encounter children with ADHD and should have a strategy for diagnosing and long-term management of this condition (AAP, 2001).

Practitioners can convey the efficacy of pharmacotherapy to their patients. AAP guidelines (2000) recommend that once a child is stable, an office visit every 3 to 6 months allows assessment of learning and behavior. Follow-up appointments should be made at least monthly until the child's symptoms have been stabilized.

## Evidence for Rationale

American Academy of Pediatrics. Clinical practice guideline: diagnosis and evaluation of the child with attention-deficit/hyperactivity disorder. *Pediatrics*. 2000 May;105(5):1158-70. [60 references]

American Academy of Pediatrics. Clinical practice guideline: treatment of the school-aged child with attention-deficit/hyperactivity disorder. *Pediatrics*. 2001 Oct;108(4):1033-44. [PubMed](#)

National Committee for Quality Assurance (NCQA). HEDIS 2015: Healthcare Effectiveness Data and Information Set. Vol. 1, narrative. Washington (DC): National Committee for Quality Assurance (NCQA); 2014. various p.

## Primary Health Components

Attention deficit/hyperactivity disorder (ADHD); medication; follow-up care; initiation phase

## Denominator Description

Patients age 6 years as of March 1 of the year prior to the measurement year to 12 years as of February 28 of the measurement year, with a Negative Medication History, who were dispensed an attention deficit/hyperactivity disorder (ADHD) medication during the 12-month Intake Period (see the related "Denominator Inclusions/Exclusions" field)

## Numerator Description

An outpatient, intensive outpatient or partial hospitalization follow-up visit with a practitioner with prescribing authority within 30 days after the Index Prescription Start Date (IPSD) (see the related "Numerator Inclusions/Exclusions" field)

## Evidence Supporting the Measure

### Type of Evidence Supporting the Criterion of Quality for the Measure

A clinical practice guideline or other peer-reviewed synthesis of the clinical research evidence

A formal consensus procedure, involving experts in relevant clinical, methodological, public health and

## Additional Information Supporting Need for the Measure

Unspecified

### Extent of Measure Testing

All HEDIS measures undergo systematic assessment of face validity with review by measurement advisory panels, expert panels, a formal public comment process and approval by the National Committee for Quality Assurance's (NCQA's) Committee on Performance Measurement and Board of Directors. Once NCQA establishes national benchmarks for accountable care organization (ACO) performance, all measures will undergo formal reliability testing of the performance measure score using beta-binomial statistical analysis. Where applicable, measures also are assessed for construct validity using the Pearson correlation test.

### Evidence for Extent of Measure Testing

Rehm B. (Assistant Vice President, Performance Measurement, National Committee for Quality Assurance, Washington, DC). Personal communication. 2015 Apr 8. 1 p.

## State of Use of the Measure

### State of Use

Current routine use

### Current Use

not defined yet

## Application of the Measure in its Current Use

### Measurement Setting

Accountable Care Organizations

Ambulatory/Office-based Care

Behavioral Health Care

Hospital Inpatient

Hospital Outpatient

Transition

### Type of Care Coordination

Coordination across provider teams/sites

Coordination within a provider team/site

## Professionals Involved in Delivery of Health Services

not defined yet

## Least Aggregated Level of Services Delivery Addressed

Multisite Health Care or Public Health Organizations

## Statement of Acceptable Minimum Sample Size

Specified

## Target Population Age

Age 6 to 12 years

## Target Population Gender

Either male or female

# National Strategy for Quality Improvement in Health Care

## National Quality Strategy Aim

Better Care

## National Quality Strategy Priority

Effective Communication and Care Coordination  
Prevention and Treatment of Leading Causes of Mortality

# Institute of Medicine (IOM) National Health Care Quality Report Categories

## IOM Care Need

Living with Illness

## IOM Domain

Effectiveness

# Data Collection for the Measure

## Case Finding Period

The 12-month window starting March 1 of the year prior to the measurement year and ending February 28 of the measurement year

## Denominator Sampling Frame

Patients associated with provider

## Denominator (Index) Event or Characteristic

Patient/Individual (Consumer) Characteristic

Therapeutic Intervention

## Denominator Time Window

not defined yet

## Denominator Inclusions/Exclusions

### Inclusions

Patients age 6 years as of March 1 of the year prior to the measurement year to 12 years as of February 28 of the measurement year, with a Negative Medication History, who were dispensed an attention deficit/hyperactivity disorder (ADHD) medication during the 12-month Intake Period. Refer to Table AADD-A in the original measure documentation for a list of ADHD medications.

### Note:

*Intake Period:* The 12-month window starting March 1 of the year prior to the measurement year and ending February 28 of the measurement year.

*Index Prescription Start Date (IPSD):* The earliest dispensing or prescription date for an ADHD medication within the Intake Period with a Negative Medication History.

*Negative Medication History:* A period of 120 days (4 months) prior to the IPSD, during which time the patient had no evidence of new or refill ADHD medications dispensed or prescribed.

Refer to the original measure documentation for steps to identify the eligible population.

### Exclusions

Exclude patients with a diagnosis of narcolepsy (Narcolepsy Value Set) anytime during their history through December 31 of the measurement year.

### Value Set Information

Measure specifications reference value sets that must be used for HEDIS reporting. A value set is the complete set of codes used to identify the service(s) or condition(s) included in the measure. Refer to the [NCQA Web site](#)  to purchase *HEDIS 2015 Technical Specifications for ACO Measurement*, which includes the Value Set Directory.

## Exclusions/Exceptions

not defined yet

## Numerator Inclusions/Exclusions

### Inclusions

An outpatient, intensive outpatient or partial hospitalization follow-up visit with a practitioner with prescribing authority within 30 days after the Index Prescription Start Date (IPSD). Any of the following code combinations billed by a practitioner with prescribing authority meet criteria:

ADD Stand Alone Visits Value Set

ADD Visits Group 1 Value Set *with* ADD POS Group 1 Value Set

ADD Visits Group 2 Value Set *with* ADD POS Group 2 Value Set

### Note:

Do not count a visit on the IPSD as the Initiation Phase visit.

*IPSD*: The earliest dispensing or prescription date for an ADHD medication within the Intake Period with a Negative Medication History.

### Exclusions

Unspecified

### Value Set Information

Measure specifications reference value sets that must be used for HEDIS reporting. A value set is the complete set of codes used to identify the service(s) or condition(s) included in the measure. Refer to the [NCQA Web site](#)  to purchase *HEDIS 2015 Technical Specifications for ACO Measurement*, which includes the Value Set Directory.

## Numerator Search Strategy

Episode of care

## Data Source

Administrative clinical data

Electronic health/medical record

Paper medical record

Pharmacy data

## Type of Health State

Does not apply to this measure

## Instruments Used and/or Associated with the Measure

Unspecified

## Computation of the Measure

## Measure Specifies Disaggregation

Does not apply to this measure

## Scoring

Rate/Proportion

## Interpretation of Score

Desired value is a higher score

## Allowance for Patient or Population Factors

not defined yet

## Description of Allowance for Patient or Population Factors

The Accountable Care Organization (ACO) aggregate population is reported as a whole, with an option to report Medicaid separately for measures for which HEDIS Health Plan Measurement offers Medicaid specifications.

## Standard of Comparison

not defined yet

## Identifying Information

### Original Title

Follow-up care for children prescribed ADHD medication (AADD): initiation phase.

### Measure Collection Name

HEDIS 2015: Accountable Care Organization (ACO) Collection

### Measure Set Name

Effectiveness of Care

### Measure Subset Name

Behavioral Health

### Submitter

National Committee for Quality Assurance - Health Care Accreditation Organization

### Developer

National Committee for Quality Assurance - Health Care Accreditation Organization

## Funding Source(s)

Unspecified

## Composition of the Group that Developed the Measure

National Committee for Quality Assurance's (NCQA's) Measurement Advisory Panels (MAPs) are composed of clinical and research experts with an understanding of quality performance measurement in the particular clinical content areas.

## Financial Disclosures/Other Potential Conflicts of Interest

In order to fulfill National Committee for Quality Assurance's (NCQA's) mission and vision of improving health care quality through measurement, transparency and accountability, all participants in NCQA's expert panels are required to disclose potential conflicts of interest prior to their participation. The goal of this Conflict Policy is to ensure that decisions which impact development of NCQA's products and services are made as objectively as possible, without improper bias or influence.

## Endorser

National Quality Forum - None

## NQF Number

not defined yet

## Date of Endorsement

2015 Mar 6

## Adaptation

This measure was adapted from the *HEDIS Technical Specifications for Health Plans* ("HEDIS Health Plan Measurement") and *HEDIS Physician Measurement*.

## Date of Most Current Version in NQMC

2014 Nov

## Measure Maintenance

Annual

## Date of Next Anticipated Revision

Unspecified

## Measure Status



This is the current release of the measure.

This measure updates a previous version: National Committee for Quality Assurance (NCQA). HEDIS 2013 technical specifications for ACO measurement. Washington (DC): National Committee for Quality Assurance (NCQA); 2012. various p.

The measure developer reaffirmed the currency of this measure in November 2015.

## Measure Availability

Source available for purchase from the [National Committee for Quality Measurement \(NCQA\) Web site](#) .

For more information, contact NCQA at 1100 13th Street, NW, Suite 1000, Washington, DC 20005; Phone: 202-955-3500; Fax: 202-955-3599; Web site: [www.ncqa.org](http://www.ncqa.org) .

## NQMC Status

This NQMC summary was completed by ECRI Institute on June 10, 2014.

This NQMC summary was updated by ECRI Institute on April 21, 2015.

The information was reaffirmed by the measure developer on November 2, 2015.

## Copyright Statement

This NQMC summary is based on the original measure, which is subject to the measure developer's copyright restrictions.

Content adapted and reproduced with permission from the National Committee for Quality Assurance (NCQA). HEDIS® is a registered trademark of NCQA. HEDIS measures and specifications were developed by and are owned and copyrighted by NCQA. HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. NCQA disclaims all liability for use or accuracy of any coding contained in the specifications.

Anyone desiring to use or reproduce the measure abstracts without modification for a non-commercial purpose may do so without obtaining any approval from NCQA. All commercial uses of the measure abstracts must be approved by NCQA and are subject to a license at the discretion of NCQA. To purchase copies of the full measures and specifications, which contain additional distribution and use restrictions, contact NCQA Customer Support at 888-275-7585 or visit [www.ncqa.org/publications](http://www.ncqa.org/publications) .

## Production

## Source(s)

National Committee for Quality Assurance (NCQA). HEDIS 2015 technical specifications for ACO measurement. Washington (DC): National Committee for Quality Assurance (NCQA); 2014. various p.

# Disclaimer

## NQMC Disclaimer

The National Quality Measures Clearinghouse (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the [NQMC Inclusion Criteria](#).

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. Moreover, the views and opinions of developers or authors of measures represented on this site do not necessarily state or reflect those of NQMC, AHRQ, or its contractor, ECRI Institute, and inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.